

# Signgrass® Mono / Short

Monofilament/Textured Monofilament

## Yarn Characteristics

Type	Polyethylene Monofilament / Mono Textured
DTex	12.800 / 8800

## Backing Characteristics

Primary Backing	Polyethylene and Woven Polyester
Secondary Backing	Latex
Water permeability	Drainage holes on request

## Warranty

5 year warranty against discoloration and UV light degradation.

5 year product warranty against fibers coming off.

## Logo/Design

For the production of your logo or design, a Vector file is required. With preference .eps or .ai file.

Besides a square or rectangle mat, we can also tuft the shape of a logo or design like a circle, ellipse, hexagon or crest.

Margin total size logo mat +/- 2%

## Guidelines Logo/Design

Letters, signs and logos need to be legible and feasible, so please take following guidelines in account:

Product	Mono / Short
Minimum height letter	7 - 8 cm
Detail (width)	1.0 cm
Space in between letters	1.0 cm

## Possibilities

It's possible to supply us with your own yarn, under the condition a production test is permitted.

We require a technical datasheet and sample of the artificial grass.

There is no maximum size. Logo mats larger than 12 x 4 meters will consist out of multiple parts of which the joints need to be glued on location.

## Tuft Characteristics

Pile Height	30 - 60 mm (margin +/- 2%)
Stitch Rate	150 - 220
Gauge	5/16" - 3/8" - 5/8"
Tuft Lock	2 kg

## Total Product Weight

±3500 g/sqm, dependent on pile height and stitch rate

**SIGNGRASS®**  
synthetic grass design

## Signgrass® Mono / Short

Standard colours available:

	M1/T1 - white
	M11/T17 - grey
	M19/T19 - dark grey
	M2/T2 - black
	M12/T11 - brown
	M13/T3 - yellow
	M14/T4 - orange
	M5/T5 - red
	M18/T14 - red clay
	M32/T32 - fuchsia
	M23/T6 - purple
	M7/T8 - reflex/dark blue
	M6/T7 - light blue
	M21/T21 - gold
	M30/T30 - turquoise
	M29/T20 - simpson/lime green
	M10/T10 - olive green

Other colours on request.\*

\* Colours may differ from the original. Also, a minor colour deviation per production batch can not be excluded.

# Signgrass® Mono / Short

Monofilament/Textured Monofilament

## Installation & Maintenance

Our logo mats should only be installed by a professional in order to ensure the best result.

Seams have to be secured with polyurethane special adhesive for synthetic grass.

Signgrass® logo mats are low in maintenance, just like artificial grass, but not maintenance-free!

- Brush the grass regularly with a stiff broom or rake
- Keep the grass free of debris and leaves
- Remove leaves using a leaf blower or rake
- Remove any weeds immediately to prevent seed dispersal
- Use clean water to rinse off any spills, such as liquids, sauce or melted ice-cream
- Pet excrement or smells can be removed using a shovel or detergent and water
- Avoid contact with hot materials (or close proximity to glass structures) to prevent shrinkage of the grass fibers.

## Gas fading

The discolouring of polyethylene is a phenomenon that is well-known in polymer industry. It is also described as yellowing, pinking or gas fading. The colour changes of the material are generally a result of auto-oxidation of phenolic antioxidants in the basic polymer used. These phenolic antioxidants are added to the resin by the producer to protect and stabilize the polymer during processing and use. The change in colour of the polymer is strictly cosmetic and does not affect physical properties.

The sources of discoloration in polyethylene are diverse and can vary from packaging to inappropriate material composition. The most relevant source is excessive levels of atmospheric pollutants like nitrogen oxides (NOx). The relatively high levels of NOx are usually caused by exhaust gasses (gas fading), for example fork lift trucks and heaters in warehouses.

To reverse and remove the discolorations expose the material to UV-light (sunlight).

With respect to synthetic turf fibres, the yellow shine of white yarn will disappear after installation of an outside pitch. When using synthetic turf for an inside application, exposure to sunlight before installation will remove the yellow shine.



Stökskesweg 9B 5571 TJ Bergeijk The Netherlands

T +31 (0)497 5725 45 — E [info@signgrass.com](mailto:info@signgrass.com) — I [www.signgrass.com](http://www.signgrass.com)

M12/T11 - Brown

M18/T14 - Red Clay

M2/T2 - Black

M5/T5 - Red

M19/T19 - Dark Grey

M14/T4 - Orange

M11/T17 - Grey

M1/T1 - White

M13/T3 - Yellow



M6/T7 - Light Blue

M7/T8 - Reflex/Dark Blue

M23/T6 - Purple

M32/T32 - Fuchsia

M10/T10 - Olive Green

M29/T20 - Simpson/Lime Green

M30/T30 - Turquoise

M21/T21 - Gold

